Biotin Anti-Mouse LPAM-1 (Integrin $\alpha 4\beta 7$) Monoclonal

Vial Size

50 µg

500 µg

	天津三箭生物技术股份有限公司 Tianjin Sungene Biotech Co., Ltd. 精准 高效 稳定 Precision Efficient Stable
Market	400-621-0003 marketing@sungenebiotech.com
Support	022-66211636-8024 techsupport@sungenebiotech.com

Web | www.sungenebiotech.com

Important Note: Centrifuge before opening to ensure complete recovery of vial contents. This product is guaranteed up to one year from purchase.

Purified Antibody Characterization

Catalog Number

M100L2-08B

M100L2-08E

Clone	Isotype	Reactivity	
DATK32	Rat IgG2a	Mouse	

Description

DATK32 antibody is specific for a combinatorial determinate of integrin $\alpha4\beta7$ complex. Integrin $\alpha4\beta7$ is composed of a 150 kD ($\alpha4$ or CD49d) and a 130 kD ($\beta7$) heterodimer, also known as CD49d/ $\beta7$ or LPAM-1. Belonging to the Ig superfamily, it is found on the majority of peripheral lymphocytes and subsets of thymocytes and bone marrow cells (including mast cell progenitors). Integrin $\alpha4\beta7$ binds its ligands, VCAM-1 (CD106), MAdCAM-1 and fibronectin, and plays an important role in lymphocytes to the intestine and associated lymphoid tissues.

Product Information

Conjugation: Biotin

Formulation: PBS pH 7.2, 0.09% NaN₃, 0.2% BSA

Concentration: 0.5 mg/ml

Storage: Keep as concentrated solution. Store at 4°C and protected from prolonged exposure to light. **Do not freeze.**

Application: Recommended Application: FC

Usage: Each lot of this antibody is quality control tested by immunofluorescent staining with flow cytometric analysis (The amount of the reagent is suggested to be used $\leq 1.0 \ \mu g$ /10⁶ cells in 100 μ l). Since applications vary, the appropriate dilutions must be determined for individual use.

References

- Andrew DP, et al. 1994. J. Immunol. 153:3847.
- [2] Berlin C, et al. 1994. Cell 74:185.
- [3] Gurish MF, et al. 2001 J. Exp. Med. 194:1243.
- [4] Hamann A, et al. 1994. J. Immunol. 152:3282.

For Research Use Only.