## Biotin Anti-Mouse/Human t-bet Monoclonal Antibody



Market | 400-621-0003

marketing@sungenebiotech.com

Support | 022-66211636-8024

techsupport@sungenebiotech.com

Web | www.sungenebiotech.com

 Catalog Number
 Vial Size

 M100T13-08B
 50 μg

 M100T13-08E
 500 μg

**Important Note:** Centrifuge before opening to ensure complete recovery of vial contents. This product is guaranteed up to one year from purchase.

## **Purified Antibody Characterization**

Clone	Isotype	Reactivity
4B10	Mouse IgG1	Mouse/Human

## Description

T-bet, also known as T-box transcription factor T-bet, is considered to be a "master regulator" of Th1 lymphoid development controlling the production of the cytokine IFN-γ. T-bet is widely expressed in hematopoietic cells including stem cells, NK cells, B cells, and T cells. T-bet is critical for the control of microbial pathogens, and knockout animals show multiple physiologic and inflammatory features characteristic of asthma. T-bet expression is optimally observed after IL-12 stimulation and can be suppressed by addition of the Th2 cytokine IL-4 or neutralization of IL-12.

**Product Information** 

**Conjugation:** Biotin

Formulation: PBS pH 7.2, 0.09% NaN<sub>3</sub>,

0.2% BSA

Concentration: 0.5 mg/ml

**Storage:** Keep as concentrated solution. Store at 4°C and protected from prolonged

exposure to light. Do not freeze.

Application: Recommended Application: FC

**Usage:** Each lot of this antibody is quality control tested by immunofluorescent staining with flow cytometric analysis (The amount of the reagent is suggested to be used  $\leq 1.0 \,\mu g$  /10<sup>6</sup> cells in 100 μl). Since applications vary, the appropriate dilutions must be determined for individual use.

## References

- [1] Szabo SJ, et al. 2000. Cell 100:655.
- [2] Szabo SJ, et al. 2002. Science 295:338.
- [3] Finotto S, et al. 2002. Science 295:336.
- [4] Mullen AC, et al. 2001. Science 292:1907.

For Research Use Only.