

LE/AF Purified Anti-Mouse CD357 Monoclonal Antibody

天津三箭生物技术股份有限公司
Tianjin Sungene Biotech Co., Ltd.
精准 高效 稳定 Precision Efficient Stable

Catalog Number	Vial Size
M13571-14B	50 µg
M13571-14E	500 µg
M13571-14F	1 mg

Market	400-621-0003 marketing@sungenebiotech.com
Support	022-66211636-8024 techsupport@sungenebiotech.com
Web	www.sungenebiotech.com

Important Note: Centrifuge before opening to ensure complete recovery of vial contents.
This product is guaranteed up to one year from purchase.

Purified Antibody Characterization

Clone	Isotype	Reactivity
DTA-1	Rat IgG2b	Mouse

Description

GITR glucocorticoid-induced TNFR-related gene, is a member of the TNF receptor superfamily, also known as TNFRSF18, and AITR (in humans). It is expressed at low levels on resting T lymphocytes and at high levels on CD25⁺CD4⁺Treg cells. The expression of GITR on T cells can be upregulated upon activation. Interaction of GITR with its ligand (GITRL) has been demonstrated to augment T cell activation, proliferation, cytokine production, as well as MAPKs and NF-κB activation, and abrogate the inhibitory function of CD25⁺CD4⁺ T reg cells. In vivo activation of GITR causes development of autoimmune diseases and restores the suppressed immune response.

Reported Applications

This DTA-1 antibody has been reported for use in Flow Cytometric Analysis, Immunoprecipitation.

Product Information

Production Method: Stirred tank fermentation

Medium: Hybridoma-SFM + 1%FCS + Gln + Gluc + P/S

Purification Method: Protein G

Concentration: 1 mg/ml

Endotoxin: < 2.00 EU/mg (LAL)

Purity: >95% (by SDS-PAGE)

Sterile: 0.2 µm Filtration

Formulated: PBS, pH7.2

Storage: Keep as concentrated solution. Store at 4°C as an undiluted liquid. For extended storage aliquot contents and freeze at -20°C or lower. Avoid cycles of freezing and thawing.

For Research Use Only.