LE/AF Purified Anti-Mouse CD49d Monoclonal Antibody



Market | 400-621-0003

marketing@sungenebiotech.com

Support | 022-66211636-8024

techsupport@sungenebiotech.com

Web | www.sungenebiotech.com

 Catalog Number
 Vial Size

 M10491-14B
 50 μg

 M10491-14E
 500 μg

 M10491-14F
 1 mg

Important Note: Centrifuge before opening to ensure complete recovery of vial contents. This product is guaranteed up to one year from purchase.

Purified Antibody Characterization

Description

CD49d is a 150 kD glycoprotein, also known as $\alpha4$ integrin or VLA-4 α chain. It is a member of the integrin family, expressed on T and B cells, monocytes, eosinophils, basophils, mast cells, thymocytes, NK cells, and dendritic cells. CD49d is a heterodimer expressed with either of two β chains, $\beta1$ (CD29) or $\beta7$, to form the VLA-4 (integrin $\alpha4\beta1$) or LPAM-1 (integrin $\alpha4\beta7$) complexes. CD49d plays a critical role in both adhesion and T cell costimulation. The primary ligands for CD49d are VCAM-1, MAdCAM-1, and fibronectin. The 9C10(MFR4.B) antibody, in combination with the R1-2 monoclonal antibody, completely blocks VCAM-1 binding to VLA-4.

Reported Applications

This PS/2 antibody has been reported for use in flow cytometric staining.

Product Information

Production Method: Stirred tank fermentation

Medium: Hybridoma-SFM + 1%FCS + Gln +

Gluc + P/S

Purification Method: Protein G

Concentration: 1 mg/ml

Endotoxin: < 2.00 EU/mg (LAL)

Purity: >95% (by SDS-PAGE)

Sterile: 0.2 µm Filtration

Formulated: PBS, pH7.2

Storage: Keep as concentrated solution. Store at 4°C as an undiluted liquid. For extended storage aliquot contents and freeze at-20°C or lower. Avoid cycles of freezing and thawing.

For Research Use Only.