LE/AF Purified Anti-Mouse IL-10 Monoclonal Antibody

Vial Size

50 µg

500 µg

1 mg

	天津三箭生物技术股份有限公司 Tianjin Sungene Biotech Co., Ltd. ^{務准 高效 稳定 Precision Efficient Stable}
Market	400-621-0003 marketing@sungenebiotech.com
Support	022-66211636-8024 techsupport@sungenebiotech.com
Web	www.sungenebiotech.com

Important Note: Centrifuge before opening to ensure complete recovery of vial contents. This product is guaranteed up to one year from purchase.

Purified Antibody Characterization

Catalog Number

M100I11-14B

M100I11-14E

M100I11-14F

Clone	Isotype	Reactivity	
JES5-2A5	Rat IgG1	Mouse	

Description

IL-10 was originally described as Cytokine Synthesis Inhibitory Factor (CSIF) by virtue of its ability to inhibit cytokine production by Th1 clones. IL-10 shares over 80% sequence homology with the Epstein-Barr virus protein BCRFI. The biological activities of IL-10 include inhibition of macrophage-mediated cytokine synthesis, suppression of the delayed type hypersensitivity response, and stimulation of the Th2 cell response, which results in elevated antibody production.

Reported Applications

This JES5-2A5 antibody has been reported for use in Western Blotting, Enzyme-linked Immunosorbent Assay, Enzyme-linked Immunosorbent Spot. It has also been reported for use in Cytokine Neutralization.

Product Information

Production Method: Stirred tank fermentation

Medium: Hybridoma-SFM + 1%FCS + Gln + Gluc + P/S

Purification Method: Protein G

Concentration: 1 mg/ml

Endotoxin: < 2.00 EU/mg (LAL)

Purity: >95% (by SDS-PAGE)

Sterile: 0.2 µm Filtration

Formulated: PBS, pH7.2

Storage: Keep as concentrated solution. Store at 4°C as an undiluted liquid. For extended storage aliquot contents and freeze at -20°C or lower. Avoid cycles of freezing and thawing.

For Research Use Only.