# PE Anti-Mouse CD119 Monoclonal Antibody

Catalog Number	Vial Size
M11192-09B	50 µg
M11192-09E	200 µg



**Important Note:** Centrifuge before opening to ensure complete recovery of vial contents. This product is guaranteed up to one year from purchase.


#### **Purified Antibody Characterization**

Clone	Isotype	Reactivity
GR-20	Rat IgG2a	Mouse

#### Description

CDw119 is a 90 kD immunoglobulin superfamily member, also known as IFN- $\gamma$ R $\alpha$  chain. It is a class II cytokine receptor family member that serves as a IFN- $\gamma$ -binding chain associated with the IFN- $\gamma$   $\beta$  chain also known as AF-1. In addition to ligand binding, CDw119 participates in ligand trafficking. CDw119 is expressed on T and B cells, NK cells, fibroblasts, endothelial, and epithelial cells. Binding of IFN- $\gamma$  induces receptor dimerization, internalization, Jak1 and Jak2 protein kinase activation and, ultimately, STAT1 activation. IFN- $\gamma$  initiates and regulates a variety of immune responses.

## Illustration of Immunofluorescent Staining



Log Fluoresence Intensity C57BL/6 mouse splenocytes stained with PE anti-mouse CD119

## **Product Information**

Conjugation: PE

**Formulation:** PBS pH 7.2, 0.09% NaN<sub>3</sub>, 0.2% BSA

Concentration: 0.2 mg/ml

**Storage:** Keep as concentrated solution. Store at 4°C and protected from prolonged exposure to light. **Do not freeze.** 

Application: Recommended Application: FC

**Usage:** Each lot of this antibody is quality control tested by immunofluorescent staining with flow cytometric analysis (The amount of the reagent is suggested to be used  $\leq 1.0$  µg /10<sup>6</sup> cells in 100 µl). Since applications vary, the appropriate dilutions must be determined for individual use.

## References

[1] Bach EA, et al. 1995. Science 270: 1215.

For Research Use Only.