# PerCP/Cy5.5 Anti-Human CD3 (HIT3a) Monoclonal Antibody

Catalog Number	Vial Size
H20033-33G	25 tests
H20033-33H	100 tests



**Important Note:** Centrifuge before opening to ensure complete recovery of vial contents. This product is guaranteed up to one year from purchase.

## **Purified Antibody Characterization**

Clone	Isotype	Reactivity	
HIT3a	Mouse IgG2a	Human	

# Description

The HIT3a monoclonal antibody reacts with human CD3e, a 20 kDa subunit of the TCR complex. Along with the other CD3 subunits  $\gamma$  and  $\delta$ , the  $\epsilon$  chain is required for proper assembly, trafficking and surface expression of the TCR complex. CD3 is expressed by thymocytes in a developmentally regulated manner and by all mature T cells. Crosslinking of TCR with HIT3a initiates an intracellular biochemical pathway resulting in cellular activation and proliferation.

## **Product Information**

Conjugation: PerCP/Cy5.5

**Formulation:** PBS pH 7.2, 0.09% NaN<sub>3</sub>, 0.2% BSA

**Storage:** Keep as concentrated solution. Store at 4°C and protected from prolonged exposure to light. **Do not freeze.** 

Application: Recommended Application: FC

**Usage:** Each lot of this antibody is quality control tested by immunofluorescent staining with flow cytometric analysis (The amount of the reagent is suggested to be used from 20  $\mu$ L to 5  $\mu$ L per 100  $\mu$ L of peripheral blood. Please check your vial). Since applications vary, the appropriate dilutions must be determined for individual use.

#### References

[1] McMichael, A. J., P.C.L. Beverly, et al. eds. (1987). Leucocyte Typing III: White Cell Differentiation Antigens. Oxford University Press. New York.

[2] Knapp, W., B. Dorken, et al. eds. (1989).
Leucocyte Typing IV: White Cell Differentiation
Antigens. Oxford University Press. New York.
[3] Schlossman, S., L. Bloumsell, et al. eds (1995).
Leucocyte Typing V: White Cell Differentiation
Antigens. Oxford University Press. New York.

For Research Use Only.